



2g Release Notes

November 17th

2016

Please review this listing of the latest enhancements, corrections or changes to 2g. The version number is noted along with the release date. Please contact your Reeb Territory Sales Manager for additional questions about this update.

**New Release
Number will be
reeb.usp.12.3.36
Dated 11/17/16**

Release Notes

Overview - The following list contains new products, removals, services and issues that were fixed. There are examples of the items in **BOLD** contained further in this document.

THERMA-TRU

- 185954 Remove Classic-Craft Mahogany CM610GCDWSL 3'-0" x 6'-8" - stock depleted
- 185963 Add Smooth-Star S601-SL Sidelite
- 185965 Add Smooth-Star S9352 Art Glass
- 185968 Remove Classic-Craft Oak CC58 discontinued - all caming - stock depleted
- 185975 Remove Smooth-Star S10 Privacy Models XC, XJ and XR
- 185980 Add Warning Pulse/Contemporary Lite Frames**
- 185981 Correct Code for Patio 2050-GBGFWLE Model
- 185986 Remove All Bella Granite Options - all caming - Inventory Depleted**
- 186002 Profile Sidelite 626 offer Black Nickel

EXTERIOR WOOD DOORS

- 185952 Add Dentil to Simpson Nantucket Fir models**
- 185961 Fix Custom Exterior Wood Door Cutdown Code
- 185977 Add various missing Simpson Metropolitan Mahogany models

PATIO DOORS

- 185942 Need Warning: Ultra Patio Posts are Primed on the interior**

MISC EXTERIOR DOORS

- 185969 Remove Veneered Jamb Options when any Transom Configuration is selected
- 185978 Exterior Unit w/Sidelite not complete
- 185990 Correct Dimensions for Cutdown with Oak Sills

INTERIOR DOORS

- 185951 Add Solid Core Birch Door 3'-6" x 7'-0" and 3'-6" x 8'-0" 1-3/4"**
- 185958 Remove Solid Core Lauan 1'-8" x 6'-8" 1-3/4" - non-stock
- 185960 Add missing stock Coventry SC Molded 8'-0" 1-3/8" - 2'-0", 2'-4", 2'-6", 2'-8", 3'-0"**
- 185966 Remove 8'-0" Primed Flat Jamb Answers - Adjust Allowable Range
- 185967 Interior Double Door with Transom maintenance
- 185979 Move "X" to 1st position answer for machining Interior Doors**
- 185985 Add Missing Sizes - Interior PR8020 1-3/4" - 6'-8" and 7'-0"
- 186001 Correct coding - Mirror Bypass No Frame

RESIDENTIAL FIRE DOORS

- 185962 Adding Aluminum Casing price Twice on 90-Minute RSP Fire Units (During Integration)

STORM & SCREEN DOORS

- 185910 Add Larson Classic Elegance QuickFit Hardware Finishes**

FYPON MOULDED MILLWORK

- 185959 Discontinued Fypon items marked "While Supplies Last"**

RESIDENTIAL LOCKS & HARDWARE

- 185971 Remove Extra Line Schlage Lock Matching Handleset Trim
- 185976 Add missing Schlage Hardware image


EXTERIOR DOOR PARTS & ACCESSORIES

- 185957 Correct Reeb Parts Therma-Tru Lite Insert section - GBG Bronze & Almond

Release Notes


185980 Add Warning Pulse/Contemporary Lite Frames

Reeb's standard stock Therma-Tru Lite Frame features the Scrolled Profile.







Stock Scrolled Profile Lite Frame

A warning has been added to 2g when Product Style 'Contemporary' is selected:
"Contemporary Lite Surrounds are stocked in the Scrolled Profile as are all Reeb Lites."
This has been done because Therma-Tru also offers a Flat Profile Lite in their literature.




The screenshot displays a software configuration window. At the top, a blue warning banner reads: "RulesEngine::SoftWarning: Warning" followed by "Contemporary Lite Surrounds are stocked in the Scrolled Profile as are all Reeb Lites." Below this, the "Configuration Questions" table lists various product attributes, with "Product Style" set to "Contemporary". To the right, the "Configuration Details" panel shows a "Please select contemporary style" prompt and four options: Ari, Echo, Linea, and Solei. The "Contemporary Style" row in the table and the "Please select contemporary style" prompt are highlighted with a yellow box.

Configuration Questions	
Product Category	Exterior Doors
Manufacturer	Reeb
Product Type	Exterior
Region	East
Product Material	Smooth Fiberglass
Brand	Therma-Tru
Material Type	Smooth Star
Configuration (Units viewed from Exterior)	Single Door
Factory Finish Option	No
Frame Material	Primed
Slab Width	36"
Slab Height	6' 8"
Product Style	Contemporary
Contemporary Style	
Glass type	
Glass Style	
Caming	

Configuration Details			
Answers	Configuration Details		
Please select contemporary style			
			
Ari	Echo	Linea	Solei

Release Notes

185986 Remove All Bella Granite Options - all coming - Inventory Depleted



Release Notes

185952 Add Dentil to Simpson Nantucket Fir models



F77660




F77662



F77860



None




F77660 Dentil 9540

F77662 Dentil 9540

F77860 Dentil 9540 and 9541

Release Notes

185942 Need Warning Ultra Patio Posts are Primed on the interior



Configuration Questions

- Product Category: Inswing Patio Doors
- Manufacturer: Reeb
- Product Type: Hinged Patio Doors
- Region: East
- Product Material: Smooth Fiberglass
- Brand: Therma-Tru
- Material Type: Smooth Star
- Configuration (Units viewed from Exterior): FRF
- Factory Finish Option: Yes
- Frame Material: Ultra Jamb
- Slab Width: [Selected]
- Slab Height: [Dropdown]
- Product Style: [Dropdown]
- Glass Type: [Dropdown]
- Glass Style: [Dropdown]
- Insulation: [Dropdown]
- Grille Type: [Dropdown]
- Model: [Dropdown]
- Casing/Brickmould Pattern: [Dropdown]
- Casing/Brickmould Type: [Dropdown]
- Ship Casing/Brickmould Loose: [Dropdown]


Configuration Details

Answers Configuration Details

Please Select Slab Width

7'-6" (3) 30" Door Width 90"	8'-0" (3) 32" Door Width 96"	8'-6" (3) 34" Door Width 102"	9'-0" (3) 36" Door Width 108"
------------------------------------	------------------------------------	-------------------------------------	-------------------------------------

Need Warning explaining that the Ultra Patio Posts are Primed on the interior. This is for any configuration With an F, except the single F configuration.



Questions

Questions	Answers
Product Category	Inswing Patio Doors
Manufacturer	Reeb
Product Type	Hinged Patio Doors
Region	East
Product Material	Smooth Fiberglass
Brand	Therma-Tru
Material Type	Smooth Star
Configuration (Units viewed from Exterior)	FRF
Factory Finish Option	No
Frame Material	[Selected]
Slab Width	[Dropdown]
Slab Height	[Dropdown]
Product Style	[Dropdown]
Glass Type	[Dropdown]
Glass Style	[Dropdown]
Insulation	[Dropdown]
Grille Type	[Dropdown]
Model	[Dropdown]
Casing/Brickmould Pattern	[Dropdown]
Casing/Brickmould Type	[Dropdown]
Ship Casing/Brickmould Loose	[Dropdown]
Hinge Type	[Dropdown]
Hinge Finish	[Dropdown]
Jamb Depth	[Dropdown]
Sill	[Dropdown]
Sill Finish	[Dropdown]

Material Options:

Not Available for Reeb Finish Primed	Not Available for Reeb Finish FrameSaver	Clear Pine
Not Available for Reeb Finish White Vinyl Ultra Jamb		

Warning Dialog:

2g RulesEngine::SoftWarning

⚠ Ultra Patio Posts are Primed on the Interior.

OK


Release Notes

185951 Add Solid Core Birch Door 3'-6" x 7'-0" and 3'-6" x 8'-0" 1-3/4"

Questions	Answers
Product Category	Interior Doors
Manufacturer	Reeb
Product Type	Interior
Region	East
Location	Bethlehem
Interior Configuration	Door Only
Product Material	Flush
Material Type	Birch
Factory Finish Option	No
Construction Type	Solid Core
Slab Width	42"
Slab Height	84"
Product Style	Flush
Thickness	1 3/4"
Model	Birch
Interior Door Brand	Reeb

IFLD.,3670PCBW40.....LH.....


Quantity	Description	Reeb List	Sell Price
1.00	Birch 42"x84" Door Only	262.00	262.00
	Total for Quantity of 1	262.00	262.00



Questions	Answers
Product Category	Interior Doors
Manufacturer	Reeb
Product Type	Interior
Region	East
Location	Bethlehem
Interior Configuration	Door Only
Product Material	Flush
Material Type	Birch
Factory Finish Option	No
Construction Type	Solid Core
Slab Width	42"
Slab Height	96"
Product Style	Flush
Thickness	1 3/4"
Model	Birch
Interior Door Brand	Reeb

IFLD.,3680PCBW40.....LH.....

Quantity	Description	Reeb List	Sell Price
1.00	Birch 42"x96" Door Only	326.00	326.00
	Total for Quantity of 1	326.00	326.00



Release Notes

185960 Add missing stock Coventry SC Molded 8'-0" 1-3/8" - 2'-0", 2'-4", 2'-6", 2'-8", 3'-0"



Configuration Questions

Product Category	Interior Doors
Manufacturer	Reeb
Product Type	Interior
Region	East
Location	
Interior Configuration	Door Only
Product Material	Molded
Material Type	
Factory Finish Option	
Construction Type	Solid Core
Slab Width	
Slab Height	8' 0"
Product Style	Panel
Panel Type	Raised
Thickness	1 3/8"
Model	Coventry
Sticking	Cove & Bead
Interior Door Brand	Reeb
Hinge Type	
Hinge Brand	
Hinge Finish	
Hinge Size	
Finial Options	
Finial Placement	
Bore Door Only	
Custom Height Option	
Curtdown Door Only Slab Height	
Carton Wrap	

Configuration Details Save Save&New Save&Copy Cancel Undo Redo Clear

Answers Configuration Details




Please Select Slab Width

1'-0" 12" Door Width 12"	1'-2" 14" Door Width 14"	1'-3" 15" Door Width 15"	1'-4" 16" Door Width 16"	1'-6" 18" Door Width 18"	1'-8" 20" Door Width 20"	1'-10" 22" Door Width 22"
2'-0" 24" Door Width 24"	2'-2" 26" Door Width 26"	2'-4" 28" Door Width 28"	2'-6" 30" Door Width 30"	2'-8" 32" Door Width 32"	2'-10" 34" Door Width 34"	3'-0" 36" Door Width 36"




Release Notes

185979 Move "X" to 1st position answer for machining Interior Doors





Previous Version

Product Material	Stile and Rail		
Material Type	Pine		
Factory Finish Option	No		
Slab Width	36"		
Slab Height	80"		
Product Style	Panel		
Panel Type	Raised		
Thickness	1 3/8"		
Model	P1051		
Interior Door Brand	Reeb Specialty Products		
Hinge Type	None		
Bore			





Updated Version

Product Material	Stile and Rail		
Material Type	Pine		
Factory Finish Option	No		
Slab Width	30"		
Slab Height	6' 8"		
Product Style	Panel		
Panel Type	Raised		
Thickness	1 3/8"		
Model	P1051		
Interior Door Brand	Reeb Specialty Products		
Hinge Type	None		
Bore Door Only			

Previous Version


Product Material	Stile and Rail			
Material Type	Pine			
Factory Finish Option	No			
Slab Width	36"			
Slab Height	80"			
Product Style	Panel			
Panel Type	Raised			
Thickness	1 3/8"			
Model	P1051			
Interior Door Brand	Reeb Specialty Products			
Hinge Type	None			
Bore	No			
Custom Height Option	No			
Carton Wrap	No			
Catch Option				
Ball Catch Finish				
Magnetic Catch Finish				
Roller Catch Finish				
Finish Door				

Updated Version

Material Type	Pine			
Factory Finish Option	No			
Slab Width	30"			
Slab Height	6' 8"			
Product Style	Panel			
Panel Type	Raised			
Thickness	1 3/8"			
Model	P1051			
Interior Door Brand	Reeb Specialty Products			
Hinge Type	None			
Bore Door Only	No			
Custom Height Option	No			
Carton Wrap	No			
Catch Door Only				
Ball Catch Finish				
Magnetic Catch Finish				
Roller Catch Finish				

Release Notes


185910 Add Larson Classic Elegance QuickFit Hardware Finishes



Description: Add 3 new finishes to Larson Classic Elegance – White, Brown & Sandstone.


Release Notes

185959 Discontinued Fypon items marked "While Supplies Last"




Segment Arch Trim – ARSEG54X8X4F, ARSEG66X9X4F, ARSEG78X11X4F


Configuration Questions		Configuration Details	
Product Category	Fypon Moulded Millwork	Please select window/door trim sub type	
Manufacturer	Fypon Moulded Millwork		
Product Type	Window/Door Trim		
Window/Door Trim Sub Type			
Window/Door Trim Item			
Trim Base Width			
Trim Size			
Size			
Window / Door Trim Width			
Keystone Option			
Model			
Andersen Window			




Crosshead



Arch Trim



**WHILE SUPPLIES
LAST!**
Segment Arch Trim




Elliptical Trim

Configuration Questions		Configuration Details	
Product Category	Fypon Moulded Millwork	Answers	Configuration Details
Manufacturer	Fypon Moulded Millwork	Please select trim size	
Product Type	Window/Door Trim		
Window/Door Trim Sub Type	Segment Arch Trim		
Window/Door Trim Item	3-1/2" Flat Arch Trim		
Trim Size			
Keystone Option			
Model			
Andersen Window Match			
Fypon Domestic or Import			
Product Material			
Inside Width			
Inside Height			
Radius			


**WHILE SUPPLIES
LAST!**
54" x 8" x 4"
54" x 8" x 4"

**WHILE SUPPLIES
LAST!**
66" x 9" x 4"
66" x 9" x 4"


**WHILE SUPPLIES
LAST!**
78" x 11" x 4"
78" x 11" x 4"



**WHILE SUPPLIES
LAST!**
ARSEG54X8X4F



**WHILE SUPPLIES
LAST!**
ARSEG66X9X4F




**WHILE SUPPLIES
LAST!**
ARSEG78X11X4F

Continued →

Release Notes

185959 Discontinued Fypon items marked "While Supplies Last" - *continued*

Baluster – BAL4X24LN

Configuration Questions		Configuration Details	
Product Category	Fypon Moulded Millwork	Answers	Configur
Manufacturer	Fypon Moulded Millwork	<div style="border: 2px solid red; padding: 5px;"> <p style="text-align: center; color: blue; font-weight: bold;">Please select model</p>  <p style="text-align: center; font-weight: bold;">BAL4X24LN</p> </div>	
Product Type	Balustrade System		
Balustrade System	7" System		
Balustrade Sub System	Logan Baluster		
Baluster Height	24"		
Model	BAL4X24LN		
Fypon Domestic or Import	Fypon Import		
Product Material	Polyurethane		
Maximum Center-to-Center	5-15/16"		
Finish	Unfinished		

Dentil Block – DTLB4X4X7L8, DTLB4X4X7R8

Configuration Questions	
Product Category	Fypon Moulded Millwork
Manufacturer	Fypon Moulded Millwork
Product Type	Decorative Millwork
Decorative Millwork Sub Type	Dentil Block
Model	
Fypon Domestic or Import	
Product Material	
Projection	
Height	
Overall Width	
Pitch	
Finish	



DTLB4X4X7L8



DTLB4X4X7R8

Continued →

Release Notes


185959 Discontinued Fypon items marked "While Supplies Last" - *continued*

Newel Post – NP10X48

Product Category	Fypon Moulded Millwork
Manufacturer	Fypon Moulded Millwork
Product Type	Balustrade System
Balustrade System	7" System
Balustrade Sub System	Newel Post
Model	NP10X48
Fypon Domestic or Import	Fypon Import
Product Material	Polyurethane
Newel Post Mounting Kit	None
Width	10"
Height	48"
Finish	Unfinished


Answers Configuration Details

Please select model



WHILE SUPPLIES
LAST!

NP10X48



NP8X48


Newel Post Installation Kit – NPK10

Product Category	Fypon Moulded Millwork
Manufacturer	Fypon Moulded Millwork
Product Type	Balustrade System
Balustrade System	7" System
Balustrade Sub System	Newel Post Installation Kit
Model	
Fypon Domestic or Import	
Product Material	
Finish	

Configuration Questions Configuration Details **Actions...**


Answers Configuration Details

Please select model




WHILE SUPPLIES
LAST!

NPK10



NPK400








NPK600







Release Notes

185959 Discontinued Fypon items marked "While Supplies Last" - continued

Plinth Block – PB220

Configuration Questions		Configuration Details		Actions...
Product Category	Fypon Moulded Millwork	Answers	Configuration Details	
Manufacturer	Fypon Moulded Millwork	Please select model		
Product Type	Moulding	 WHILE SUPPLIES LAST! PB220		
Moulding Sub Type	Moulding Accessories	 PB3X3		
Moulding Type	Plinth Blocks	 PB4X4		
Model	PB220	 PB5X5		
Fypon Domestic or Import	Fypon Import	 PB6X6		
Product Material	Polyurethane			
Projection	2"			
Width	60 1/2"			
Moulding Match	MLD220			
Finish	Unfinished			

Window/Door Moulding – MLD234-16


Configuration Questions		Configuration Details		Actions...
Product Category	Fypon Moulded Millwork	Answers	Configuration Details	
Manufacturer	Fypon Moulded Millwork	Please select model		
Product Type	Moulding	 MLD207-16		
Moulding Sub Type	Window/Door	 MLD220-16		
Moulding Length	16'	 MLD226-16		
Model	MLD234-16	 MLD227-16		
Fypon Domestic or Import	Fypon Import	 WHILE SUPPLIES LAST! MLD234-16		
Product Material	Polyurethane	 MLD246-16		
Projection	1"			
Width	36 1/2"			
Plinth Block Option	None			
Finish	Unfinished			

Continued →


Release Notes

185959 Discontinued Fypon items marked "While Supplies Last" - *continued*

Window/Door Moulding – MLD234-16

Configuration Questions		Configuration Details	
Product Category	Fypon Moulded Millwork	Answers	Configur
Manufacturer	Fypon Moulded Millwork	Please select model	
Product Type	Moulding		
Moulding Sub Type	Moulding		
Moulding Type	Inside Corner		
Length	16'		
Model	MLD648-16		
Fypon Domestic or Import	Fypon Import		
Product Material	Polyurethane		
Projection	1-1/2"		
Width	12 9/16"		
Finish	Unfinished		

Dome – Round – DOME47

Configuration Questions		Configuration Details	
Product Category	Fypon Moulded Millwork	Answers	Configur
Manufacturer	Fypon Moulded Millwork	Please select model	
Product Type	Decorative Millwork		
Decorative Millwork Sub Type	Dome - Round		
Model	DOME47		
Fypon Domestic or Import	Fypon Domestic		
Product Material	Polyurethane		
Height	8-7/8"		
Overall Width	53-1/2"		
I/S Diameter	47-1/4"		
O/S Diameter	53-1/2"		
Finish	Unfinished		